



**VPS**

**cold wallet**

Version 1.0.2

The DiscountCoin Core Team

February 2018

VPS	.....	3
16.04	.....	3
VPS	(packages) :.....	3
	(daemon) .....	4
	.....	4
	.....	4
	(Private Key) :.....	5
VPS	.....	5
	.....	5
	.....	6
Wallet	.....	7
가	.....	7
	.....	7
	(Transaction hash) (Transaction Index) 가 .....	8
	.....	8

:

- VPS cold wallet  
-  
-

VPS

가 ) \$5/ 가 VPS (Virtual Private Server,  
가 VPS 가 , OVH Vultr 가 가  
VPS , 16.04  
16.04

VPS (packages) :  
putty ssh VPS  
(packages)  
가 .:

```
user@vps:~$ sudo apt-get update -y
user@vps:~$ apt-get upgrade -y
```

(packages) .:

```
user@vps:~$ sudo apt-get install -y build-essential libtool autotools-dev pkg-config libdb5.3++
user@vps:~$ sudo add-apt-repository ppa:bitcoin/bitcoin
user@vps:~$ sudo apt-get update
user@vps:~$ sudo apt-get install libdb4.8-dev libdb4.8++-dev
user@vps:~$ sudo apt-get install -y libssl-dev libboost-all-dev autoconf automake libgmp-dev
user@vps:~$ sudo apt-get install -y libqt4-dev libminiupnpc-dev openssl software-properties-common
```

libsecp256k1 . libsecp256k1

..:

```
user@vps:~$ sudo apt-get install git
user@vps:~$ git clone https://github.com/bitcoin-core/secp256k1
user@vps:~$ cd ~/secp256k1
user@vps:~$ ./autogen.sh
user@vps:~$ ./configure
user@vps:~$ make
user@vps:~$ ./tests
user@vps:~$ sudo make install
```

**(daemon)**

VPS

Github

**(daemon)**

..:

```
user@vps:~$ cd ~
user@vps:~$ git clone https://github.com/DiscountCoin/dsc
user@vps:~$ cd ~/dsc/src
user@vps:~$ make -f makefile.unix
```

가

(

.),

..:

```
user@vps:~$ strip DiscountCoind
```

**(daemon)**

```
user@vps:~$ cp DiscountCoind /usr/bin/
user@vps:~$ DiscountCoind
```

VPS

가  
(RAM)

VPS

```
user@vps:~$ mkdir -p ~/DiscountCoin1/data
user@vps:~$ mkdir -p ~/DiscountCoin2/data
```

**(daemon)**

```
user@vps:~$ cp ~/DiscountCoin/src/DiscountCoind ~/DiscountCoin1/DiscountCoind1
user@vps:~$ cp ~/DiscountCoin/src/DiscountCoind ~/DiscountCoin2/DiscountCoind2
```

**(daemon)**

```
user@vps:~$ ~/DiscountCoin1/DiscountCoind1 -datadir=~/.DiscountCoin1/data
user@vps:~$ ~/DiscountCoin2/DiscountCoind2 -datadir=~/.DiscountCoin2/data
```

VPS

(private keys)

hot wallet


(Private Key) :

가

가 , (Private Key) . :

(debug console) (Help → Debug Window → Console)

(console) `masternode genkey` . [ENTER]



. :

5F6asfZ16ytKmlde542JKSKERJD67RLASD98fhd7RlskKDj789k

VPS

VPS 가 ssh putty :

(nano, vi, )

`user@vps:~$ nano ~/.DiscountCoin/DiscountCoin.conf`

..:

```
rpcuser=type_any_random_string
rpcpassword=type_another_random_string
rpcport=9447
server=1
listen=1
daemon=1
masternodeaddr=[ ip ]:9448
masternode=1
masternodeprivkey=[ (private-key)]
```

가

```
user@vps:~$ DiscountCoind -reindex -daemon
```

, “ (ports)”

1 :

```
user@vps:~$ nano ~/DiscountCoin1/data/DiscountCoin.conf
```

..:

```
rpcuser=type_any_random_string
rpcpassword=type_another_random_string
rpcport=9447
port=9448
masternodeaddr=[ ip ]:9448
masternode=1
masternodeprivkey=[ 1 (private-key)]
```

2 :

```
user@vps:~$ nano ~/DiscountCoin2/data/DiscountCoin.conf
```

..:

```
rpcuser=type_any_random_string
rpcpassword=type_another_random_string
rpcport=9446
port=9449
masternodeaddr=[ ip ]:9449
masternode=1
masternodeprivkey=[ 2 (private-key)]
```

가

```
user@vps:~$ ~/DiscountCoin1/ DiscountCoind1 -datadir=/root/DiscountCoin1/data -reindex -daemon
user@vps:~$ ~/DiscountCoin2/ DiscountCoind2 -datadir=/root/DiscountCoin2/data -reindex -daemon
```

## Wallet

(reward) (collateral) 5000

가

Receive -> New Address

“Masternode1”

Wallet

가

These are your DiscountCoin addresses for receiving payments. You may want to give a different one to each sender so of who is paying you.

Label	Address
Address1	DBEz8c87fab3aCR6KtMhe
Address2	DDvrJYuJCBQUJi6xzZQBz

**New receiving address**

Label:

Address:

Stealth Address

Cancel OK

가

,

.(

)

:

5000

20 (confirmations)

(Transaction hash) &

(Transaction index) 가

Help -> Debug Window -> Console

masternode outputs .

가 .:

```
{
"1f654d3246fab24a654fe621004f00255ec1f9d032a4dfsdfacdb21654f" : "0"
}
```

1f654d3246fab24a654fe621004f00255ec1f9d032a4dfsdfacdb21654f (Transaction hash)  
0 (transaction index)

(Transaction hash) (Transaction index)

wallet

"create"

..:

Alias : Masternode1

Address : [VPS-IP-] :9448 ( :172.196.154.32:9448)

PrivKey : (private-key)

TxHash : (Transaction-hash)

Output Index : (Transaction-Index)

Reward address : (reward)

Reward % : (reward) 1~100

"OK"

가 (port) 9449

"Update"

"Start All"



Translated into Korean by Rain#1624 on Discord  
If it helps and feels so good, My DiscountCoin address is :

DUFRN1jgm3w65nxBkQQ4snRfcbVKJUgcN2

가 : Rain#1624  
...

DUFRN1jgm3w65nxBkQQ4snRfcbVKJUgcN2